

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity Yellow EU

Alternate Names Yellow EU

Unique Formula Identifier

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Pigment dispersion produced for exclusive use for permanent tattoos applications. The product should NOT be used in the eye. Product for professional use in accordance with Regulation 1907/2006 Annex XVII of the European Parliament and the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

1.3. Details of the supplier of the safety data sheet

**INTENZE Products, Inc. 7445 Dean Martin Drive, Suite 107
Las Vegas, NV 89139**

Customer Service:

1.4. Emergency telephone number

+77007555719

1.5. Emergency

24 hour Emergency Telephone No. +77007555719

Section 2. Hazard identification of the product

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

No applicable CLP categories.

2.2. Label elements

According to REGULATION (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006

No applicable CLP categories.

[Prevention]:

No CLP prevention statements

[Response]:

No CLP response statements

[Storage]:

No CLP storage statements

[Disposal]:

No CLP disposal statements

2.3. Other hazards

This product contains no PBT/vPvB chemicals.

This product contains no endocrine disrupting chemicals.

Section 3. Composition/information on ingredients**3.2. Mixtures**

If the product contains substances that present a hazard according to Regulation (EC) No. 1272/2008 [CLP/GHS] (as amended by (EU) 2015/830 and REGULATION (EU) 2020/878), they are listed below.

Ingredient/Chemical Designations	Weight %	Classification according to regulation EC No. 1272/2008*	Notes
Aqua CAS Number: 0007732-18-5 EC No. 231-791-2 Index No.:	25 - 50	Not Classified	
CI 56110 CAS Number: 0084632-65-5 EC No. 401-540-3 Index No.:	25 - 50	Not Classified	
Glycerine CAS Number: 0000056-81-5 EC No. 200-289-5 Index No.:	10 - 25	Not Classified	
Hamamelis virginiana, extract CAS Number: 0084696-19-5 EC No. 283-637-9 Index No.:	5 - 10	Not Classified	
Ammonium Acrylates Copolymer CAS Number: Proprietary EC No. Proprietary Index No.: Proprietary	5 - 10	Not Classified	
CI 13980 CAS Number: 0031837-42-0 EC No. 250-830-4 Index No.:	1 - 5	Not Classified	
Ethanol CAS Number: 0000064-17-5 EC No. 200-578-6 Index No.: 603-002-00-5	1 - 5	Flam. Liq. 2;H225	
CI 77891 CAS Number: 0013463-67-7 EC No. 236-675-5 Index No.:	0.10 - 1.0	Not Classified	
CI 73907 CAS Number: 0003089-17-6 EC No. 221-424-4 Index No.:	0.10 - 1.0	Not Classified	
CI 12760 CAS Number: 0072102-84-2 EC No. 276-344-2 Index No.:	0.01 - 0.10	Not Classified	

[^]CLP³¹ Reference EC No. 1272/2008 1.1.3.1. Notes relating to the identification, classification and labeling of substances (Table 3.1).

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures**4.1. Description of first aid measures****General**

In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eye

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

Skin

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Ingestion

If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed**Overview**

Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health

Effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.

Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. ----

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Store containers in a cool, ventilated, dry area away from direct sunlight, heat sources, strong oxidizing agents, and electrostatic charges. Containers should be stored between 4 - 25 °C (39 - 77 °F).

Incompatible materials: No available information

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000056-81-5	Glycerine	OSHA	TWA 15 mg/m ³ (total dust) TWA 5 mg/m ³ (resp)
		ACGIH	TWA: 3 mg/m ³ (respirable) 10 mg/m ³ (mist)
		NIOSH	No established RELs
		National	No Established Limit
0000064-17-5	Ethanol	OSHA	TWA 1000 ppm (1900 mg/m ³)
		ACGIH	No Established Limit
		NIOSH	TWA 1000 ppm (1900 mg/m ³)
		National	No Established Limit
0031837-42-0	CI 13980	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		National	No Established Limit
Proprietary	Ammonium Acrylates Copolymer	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		National	No Established Limit
0084632-65-5	CI 56110	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		National	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³ OSHA PEL and 10 mg/m³ ACGIH.

8.2. Exposure controls

- Respiratory** If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
- Eyes** Protective safety glasses recommended
- Skin** Protective gloves recommended.
- Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
- Other Work Practices** Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Appearance** Color: Characteristic Physical State: Liquid
- Odor** Characteristic
- Odor threshold** No available information
- pH**
- Melting point / freezing point**
- Initial boiling point and boiling range**
- Flash Point**
- Evaporation rate (Ether = 1)**
- Flammability (solid, gas)** No available information
- Upper/lower flammability or explosive limits** **Lower Explosive Limit:**
Upper Explosive Limit:
- Vapor pressure (Pa)**
- Vapor Density**
- Relative Density**
- Solubility in Water** No available information

Partition coefficient n-octanol/water (Log Kow) No available information

Auto-ignition temperature

Decomposition temperature

Viscosity (cSt)

9.2. Other information

VOC (Volatile Organic Compound) < 5 % (w/w)

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization wil not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No available information

10.4. Conditions to avoid

Avoid high temperatures and contact with incompatible material

10.5. Incompatible materials

No available information

10.6. Hazardous decomposition products

No hazardous decomposition data available.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health e ffects such as mucous membrane and respiratory system irritation and adverse e ffects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-a llergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Glycerine - (56-81-5)	23,000.00, Mouse - Category: NA	56,750.00, Guinea Pig - Category: NA	No data available	No data available	No data available
Ethanol - (64-17-5)	10,470.00, Rat - Category: NA	17,100.00, Rabbit - Category: NA	124.70, Rat - Category: NA	No data available	No data available
CI 13980 - (31837-42-0)	No data available	No data available	No data available	No data available	No data available
Ammonium Acrylates Copolymer - (Proprietary)	No data available	No data available	No data available	No data available	No data available
CI 56110 - (84632-65-5)	No data available	No data available	No data available	No data available	No data available

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000056-81-5	Glycerine	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No

0000064-17-5	Ethanol	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
		OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0031837-42-0	CI 13980	ACGIH	A3
		OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
Proprietary	Ammonium Acrylates Copolymer	ACGIH	No Established Limit
		OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0084632-65-5	CI 56110	ACGIH	No Established Limit
		OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

Classification	Category	Hazard Description
Acute toxicity (oral)	---	---
Acute toxicity (dermal)	---	---
Acute toxicity (inhalation)	---	---
Skin corrosion/irritation	---	---
Serious eye damage/irritation	---	---
Respiratory sensitization	---	---
Skin sensitization	---	---
Germce I mutagenicity	---	---
Carcinogenicity	---	---
Reproductive toxicity	---	---
STOT-single exposure	---	---
STOT-repeated exposure	---	---
Aspiration hazard	---	---

11.2.1 Endocrine disrupting properties

This product contains no endocrine disrupting chemicals.

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l	3hr IC50 Bacteria mg/l	Biodegradability %
Glycerine - (56-81-5)	54,000.00, Oncorhynchus mykiss	1,955.00, Daphnia magna	---	---	---
Ethanol - (64-17-5)	15,400.00, Lepomis macrochirus	>10,000.00, Daphnia magna	17.921 (96 hr), Ulva pertusa	>1,000.00	89.00
CI 13980 - (31837-42-0)	---	---	---	---	---
Ammonium Acrylates Copolymer - (Proprietary)	---	---	---	---	---
CI 56110 - (84632-65-5)	---	---	---	---	---

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

No available information

12.4. Mobility in soil

No available information

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6 Endocrine disrupting properties

This product contains no endocrine disrupting chemicals.

12.7. Other adverse effects

No available information

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

	ADR/RID	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Regulated	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable Sub Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air class: Not Applicable Sub Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental hazards			
IMDG	Marine Pollutant: No;		
14.6. Special precautions for user	No available information		
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not Applicable		

Section 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Legislation

REGULATION (EU) 2020/878 amending Regulations EU 2015/830 and (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

National Legislation

None noted.

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

Section 16. Other information

SDS Revision Date 16/8/2022

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.